



SAFE N EASY METAL RESTORER
SPECIFICATION AND DATA SHEET

1. PRODUCT NAME:

Safe n Easy Metal Restorer

2. MANUFACTURER:

Dumond Chemical

1501 Broadway

New York, NY 10036

Phone (212) 869-6350

Fax: 212-764-5762

e-mail: plaway@aol.com

website: www.dumondchemicals.com

3. PRODUCT DESCRIPTION:

Safe n Easy Metal Restorer is a specially formulated product for restoring metal surfaces. A concentrated product, it quickly removes oxidation, hard water stains, rust, mineral deposits, grease, and other contaminants from copper, brass, bronze, stainless, aluminum, and glass surfaces. The addition of an inhibitor in Safe n Easy prevents rust and oxidation from quickly reforming. The inhibitor possesses unique chemical and physical properties, building both mechanical and electromechanical barriers against corrosive agents such as cleaning solutions and pollutants. The corrosive resistant film produced by the inhibitor cannot be wiped off, is not apparent to the touch and does not affect the appearance of any surface. Safe n Easy does not contain any bleach, abrasives, caustic, hydrofluoric or muriatic acid or petroleum distillates. Safe n Easy is non-flammable and non-fuming. NOTE: DO NOT APPLY TO ANODIZED OR LACQUERED SURFACES. For those surfaces use Safe n Easy Architectural Cleaner.

4. TECHNICAL DATA:

Appearance: Yellow/Orange Liquid

Odor: None

Flash Point: 9.25 – 9.75

lbs/gallon: 8.5-8.8

TEST AREA:

For best results, test a solution of Safe n Easy before general use. Following the directions on the bottle, apply Safe n Easy onto the surfaces and let stand for several minutes. Agitate, rinse thoroughly and allow to dry to determine compatibility.

APPLICATION:

Safe n Easy can be used full strength or diluted. After determining solution strength, apply solution onto a dry surface.

HEALTH AND SAFETY: Corrosive liquid. Eye, skin and mucous membrane irritant. Contains fluorogens, which may be fatal if swallowed. Wear eye protection, rubber or latex gloves and chemical resistant footwear. **KEEP OUT OF THE REACH OF CHILDREN.** In case of contact with eyes, flush thoroughly with water for 15 minutes. Seek medical attention. If swallowed, drink ½ glasses of milk. Never give anything by mouth to an unconscious person. Do not induce vomiting. Call a physician immediately. In case of contact with skin, wash with soap and water. If irritation persists seek medical attention.

6. AVAILABILITY AND COST: All Dumond products are available through a network of product distributors and paint stores. Call Dumond Chemicals in New York (212) 869-6350 for the nearest distributor. Cost will depend upon substrate and conditions to be cleaned. This product has an average coverage of between 100/125 sq. feet per gallon.

7. WARRANTY: Dumond Chemicals warrants all of its products to be free from defects, and makes no other warranties with respect to its products, express or implied, including without limitation the implied warranties of **MERCHANTABILITY OF FITNESS FOR PARTICULAR PURPOSE.** Dumond Chemicals Inc. liability shall be limited in all events to supplying sufficient products to re-treat the specific areas to which defective product has been applied. Dumond Chemicals shall have no other liability, including liability for incidental, consequential or resultant damages whether due to breach of warranty or negligence. This warranty may not be modified or extended by representative of Dumond Chemicals or its distributors and desires.

8. MAINTENANCE: No special service of the treated area is required following the cleaning process. No maintenance is required for the Dumond Products.

9. TECHNICAL SERVICES: Dumond Chemicals employs a complete staff of customer service representatives for response to any questions from end users and contractors. We also employ a staff of trained sales and field customer service personnel for on site testing and application assistance. Please call our New York office for any assistance required.

